

Argo Information Centre

Maritime Zones Monitoring System

Report Date :

10/08/2018 - 08:02 GMT

Implementing State :

Japan

Coastal State :

RUSSIAN FEDERATION

The depiction and use of boundaries, geographic names and related data shown on maps and included in lists, tables, documents and databases in this report are not warranted to be error free nor do they imply official endorsement or acceptance by the Intergovernmental Oceanographic Commission of UNESCO.

Floats approaching maritime zones ($\Delta = 100$ nautical miles)

WMO Identifier	Notification Date	Launch Date	Launch Latitude	Launch Longitude	Latest Position Date	Latest Position Latitude	Latest Position Longitude	Argo Program	Float Model	Sensors	Track
2902981	2018-07-06	2016-09-17	33.79	142.15	2018-08-07	41.8749	156.9479	Argo eq. JMA *	ARVOR	PRES, TEMP, CNDC	GIS KML
2903220	2018-06-15	2018-05-02	39.9889	145.9695	2018-08-07	40.582	143.169	Argo eq. JMA *	ARVOR	PRES, TEMP, CNDC	GIS KML
2902980	2018-08-10	2016-06-23	23.95	130.97	2018-08-06	40.4084	146.593	Argo eq. JMA *	ARVOR	PRES, TEMP, CNDC	GIS KML

(*) : Equivalent Argo Programme

The owner of this float has agreed to share data within the Argo data system, and the Argo Information Centre tracks this float for information and can provide some support if needed. However, this profiling float was not deployed under the aegis of the international Argo programme, and may not comply with Argo best practices.

Use the links to the Argo Information Centre website in the tables for more information about the float, the program and the contacts points. Track Points and Line are both available in KML files.

Contacts

PROGRAM	NAME	ADDRESS	EMAIL	TEL	FAX
Argo eq. JMA	JMA Argo, JMA Argo	Marine Division, Global Environment and Marine Department, Japan Meteorological Agency 1-3-4 Otemachi, Chiyoda-ku, Tokyo 100-8132 JAPAN	argo_mng@climar.kishou.go.jp	+81-3-3211-6909	+81-3-3211-3047

Legend

TEMP	CTD_TEMP	CTD Temperature Sensor
CNDC	CTD_CNDC	CTD Conductivity Sensor
PRES	CTD_PRES	CTD Pressure Sensor

References

[IOC Resolution XX-6](#)

[IOC Resolution XLI-4](#)