

Argo Information Centre

Maritime Zones Monitoring System

Report Date :

21/01/2014 - 20:47 GMT

Implementing State :

NETHERLANDS

Coastal State :

CHINA

The depiction and use of boundaries, geographic names and related data shown on maps and included in lists, tables, documents and databases in this report are not warranted to be error free nor do they imply official endorsement or acceptance by the Intergovernmental Oceanographic Commission of UNESCO.

AIC version 1.5

Floats approaching maritime zones ($\Delta = 100$ nautical miles)

WMO Identifier	Notification Date	Launch Date	Launch Latitude	Launch Longitude	Latest Position Date	Latest Position Latitude	Latest Position Longitude	Argo Program	Float Model	Additional Sensors
6900741	21/01/2014	14/04/2010	-26.9	38.03	14/01/2014	-37.5896	60.1189	Argo NETHERLANDS	APEX	
6900751	21/01/2014	09/12/2010	-55.3005	0.0066	13/01/2014	-63.0741	37.8228	Argo NETHERLANDS	APEX	
6900749	21/01/2014	07/12/2010	-51.2521	0.0052	11/01/2014	-56.2109	62.7419	Argo NETHERLANDS	APEX	
6900748	21/01/2014	06/12/2010	-49.106	2.5009	11/12/2013	-47.0932	77.5485	Argo NETHERLANDS	APEX	
6900740	21/01/2014	03/01/2009	-39.5	16.5	17/01/2014	-52.134	151.8417	Argo NETHERLANDS	APEX	
6900730	21/01/2014	08/12/2008	-39.2	11.3	21/01/2014	-49.7255	111.7558	Argo NETHERLANDS	APEX	

Use the links to the Argo Information Centre website in the tables for more information about the float, the program and the contacts points.

Contacts

PROGRAM	NAME	ADDRESS	EMAIL	TEL	FAX
Argo NETHERLANDS	Sterl, Andreas	Koninklijk Nederlands Meteorologisch Instituut (KNMI) Royal Netherlands Meteorological Institute P.O. Box 201 NL-3730 AE De Bilt Netherlands	andreas.sterl@knmi.nl	+31-(0)30-2206 766	+31-(0)30-2202 570

Legend

O2	Dissolved Oxygen
FLUO	Fluorescence
TU	Turbidity
NO3	Nitrate
OPT	Optical Sensor (backscattering and beam attenuation coefficients, downwelling irradiance)
PAL	Passive Acoustic Listener (Wind Rain gauge)
RAF	RAFOS (Acoustic transmission system)
?	Unknown Sensor

References

[IOC Resolution XX-6](#)

[IOC Resolution XLI-4](#)

[User Guide](#)