

Argo Information Centre

Maritime Zones Monitoring System

Report Date :

29/09/2013 - 21:26 GMT

Implementing State :

JAPAN

Coastal State :

CHINA

The depiction and use of boundaries, geographic names and related data shown on maps and included in lists, tables, documents and databases in this report are not warranted to be error free nor do they imply official endorsement or acceptance by the Intergovernmental Oceanographic Commission of UNESCO.

AIC version 1.5

Floats approaching maritime zones ($\Delta = 100$ nautical miles)

WMO Identifier	Notification Date	Launch Date	Launch Latitude	Launch Longitude	Latest Position Date	Latest Position Latitude	Latest Position Longitude	Argo Program	Float Model	Additional Sensors
2902414	06/07/2013	16/05/2013	24.86	123.8417	15/07/2013	25.181	125.173	Argo eq. OIST *	NEMO	
2902413	14/08/2013	15/06/2013	24.8583	123.8433	13/09/2013	25.632	125.518	Argo eq. OIST *	NEMO	

(*) : Equivalent Argo Programme

The owner of this float has agreed to share data within the Argo data system, and the Argo Information Centre tracks this float for information and can provide some support if needed.

However, this profiling float was not deployed under the aegis of the international Argo programme, and may not comply with Argo best practices.

Use the links to the Argo Information Centre website in the tables for more information about the float, the program and the contacts points.

Contacts

PROGRAM	NAME	ADDRESS	EMAIL	TEL	FAX
Argo eq. OIST	JMA Argo, JMA Argo	Marine Division, Global Environment and Marine Department, Japan Meteorological Agency 1-3-4 Otemachi, Chiyoda-ku, Tokyo 100-8132 JAPAN	argo_mng@climar.kishou.go.jp	+81-3-3211-6909	+81-3-3211-3047

Legend

O2	Dissolved Oxygen
FLUO	Fluorescence
TU	Turbidity
NO3	Nitrate
OPT	Optical Sensor (backscattering and beam attenuation coefficients, downwelling irradiance)
PAL	Passive Acoustic Listener (Wind Rain gauge)
RAF	RAFOS (Acoustic transmission system)
?	Unknown Sensor

References

[IOC Resolution XX-6](#)

[IOC Resolution XLI-4](#)

[User Guide](#)